

SECTION 09 06 00
SCHEDULE FOR FINISHES

SECTION 09 06 00-SCHEDULE FOR FINISHES

VAMC: Wilkes-Barre

Location: Wilkes-Barre, PA

Project no. and Name: 693-11-121 Expand Emergency Room

Submission Date: February 8, 2013

**SECTION 09 06 00
SCHEDULE FOR FINISHES**

PART I - GENERAL

1.1 DESCRIPTION

This section contains a coordinated system in which requirements for materials specified in other sections shown are identified by abbreviated material names and finish codes in the room finish schedule or shown for other locations.

1.2 MANUFACTURERS

Manufacturer's trade names and numbers used herein are only to identify colors, finishes, textures and patterns. Products of other manufacturer's equivalent to colors, finishes, textures and patterns of manufacturers listed that meet requirements of technical specifications will be acceptable upon approval in writing by contracting officer for finish requirements.

1.3 SUBMITALS

Submit in accordance with SECTION 01 33 23, SHOP DRAWINGS, PRODUCT DATA, AND SAMPLES—provide quadruplicate samples for color approval of materials and finishes specified in this section.

1. DIGITAL COLOR PHOTOS-INTERIOR VIEWS:

Room Number and Name	Item/View to be Photographed
1. Patient Mockup Room	All 6 sides of the room, and the outside wall, both phases
2.	
3.	
4.	

1.4 APPLICABLE PUBLICATIONS

A. Publications listed below form a part of this specification to the extent referenced. Publications are referenced in text by basic designation only.

B. MASTER PAINTING INSTITUTE: (MPI)

2001.....Architectural Painting Specification Manual

PART 2- PRODUCTS**2.1 DIGITAL COLOR PHOTOS**

A. Size 24 x 35 mm.

B. Labeled for:

1. Building name and Number.

2. Room Name and Number.

2.2 DIVISION 03 - CONCRETE

A. SECTION 03 03 53, CAST IN PLACE CONCRETE //

Surface	Finish Description

2.4 DIVISION 04 - MASONRY

A. CLAD STONE CLADDING

Name of Stone	Color, Texture, Finish	Stone Source
	Polished Granite to match existing	TBD

B. SECTION 07 95 13, EXPANSION JOINT COVER ASSEMBLIES

	Material	Finish	Manufacturer	Mfg. Color Name/No.
Floor Component				

Cover Plate Frame Casket or Sealant (interior only)				
Wall Component Cover Plate Frame Casket or Sealant (interior only)				
Ceiling Component Cover Plate, Gasket or Sealant (interior only)				
Exterior Wall Cover Plate Frame Thermoplastic Joint				

2.6 DIVISION 06 WOOD, PLASTICS, AND COMPOSITES

B. SECTION 06 41 16, PLASTIC-LAMINATE-FACED ARCHITECTURAL CABINETS (SEE DRAWINGS FOR LOCATIONS)

Component	Material	MAUNFACTURER	Finish	Color
Countertop	SSP-1	Corian	SEMIGLOSS	Clam Shell
COUNTERTOPS/VERTICAL SURFACE	QS-1	CAESAR STONE	POLISHED	877-9QUATRZ 9601 Oyster
COUNTERTOPS/VERTICAL SURFACE	QS-2	CAESAR STONE	POLISHED	877-9QUATRZ 2003 CONCRETE
COUNTERTOPS/VERTICAL SURFACE	ST-1	Stone Source	POLISHED	Desert Cream Onyx

Vertical Surface(s)	PL-2	WILSONART	MONTECELLO MAPLE	7925-38
Vertical Surface(s)	PL-3	WILSONART	FUSION MAPLE	7909-38
Trim	STAINLESS STEEL	GORDON	BRUSHED	
Reveal	STAINLESS STEEL	GORDON	BRUSHED	
PONY WALL	MILLWORK INSERT	3-FORM	White	GLASS PONY WALL 200.29.05 48"X10W"96"L
Counter Bracket	Rakks	White	EH-1209 for use on countertop 13" deep	
Counter Bracket	Rakks	White	EH-1212 for use on countertop 18" deep	
Counter Bracket	Rakks	White	EH-1818 for use on countertop 25" deep	
Counter Bracket	Rakks	White	EH-1824 for use on countertop 30" deep	
Base	Stainless Steel			No. 4

2.7 DIVISION 07 - THERMAL AND MOISTURE PROTECTION

R. SECTION 07 92 00, JOINT SEALANTS

Location	Color	Manufacturer	Manufacturer Color
Stone Sealed Joints	Match existing/ patch to match	As provided by VA	As provided by VA
S-4 (At Louver openings and exterior roof to flashing)	Exterior Sealant	SIKA	Sikaflex-15LM Elastometic Sealant/ Match Existing
S-8 (At Bathrooms)	Interior Sealant	Dow Corning	Dow 786/ White or Clear
S-9	Interior Sealant	Dow Corning	Dow 795/ White or Clear
S-4 (At Louver openings and exterior roof to flashing)	Exterior Sealant	SIKA	Sikaflex-15LM Elastometic Sealant/ Match Existing

2.8 DIVISION 08 - OPENINGS

A. SECTION 08 11 13, HOLLOW METAL DOORS AND FRAMES

Paint both sides of door and frames same color including ferrous metal louvers, and hardware attached to door	
Component	Color of Paint Type and Gloss
Door	
Frame	
Window frame	

B. SECTION 08 14 19, HIGH IMPACT RESISTANCE DOORS

Component	Finish/Color
Doors	Manufacturer: CS Acrovyn, Material: High Impact Resistance wall covering. Collection: PVC-Free Acrovyn 4000 chameleon, Finish: #375 Autumn Maple,

	with woodgrain pattern and suede texture
--	--

C. SECTION 08 31 13, ACCESS DOORS AND FRAMES

Material	Finish/Color
Steel	Painted to match adjacent wall/ ceiling paint
Stainless steel	

D. SECTION 08 11 73, SLIDING METAL FIRE DOORS

Material	Finish/Color

E. SECTION 08 33 00, COILING DOORS AND GRILLES

Location	Item	Material	Finish	Manufacturer	Manufacturer Color Name/No.
	Door				
	Grille				

J. SECTION 08 42 43, ICU-CCU DOORS

Material	Finish	Manufacturer	Manufacturer Color Name/No.
Aluminum	Clear anodized aluminum		
Glass			

DESIGNER NOTE: Coordinate with 08 80 00 for glazing systems.

O. SECTION 08 90 00, LOUVERS AND VENTS

Finish/ Component	Model No.	Manufacturer	Mfg. Color Name/No.
Extruded Metal	Model A6157, Double Drained fixed Extruded Mullion Louver	CS-Group	Architect's Option: #548 Light Bronze or Clear Anodized Aluminum- to be verified by Architect

DESIGNER NOTE: Coordinate with Section 08 71 00, DOOR HARDWARE for preferred finishes, specified par 2.28. List only items deviating from Section 08 71 00, par 2.28.

U. SECTION 08 71 00, BUILDERS HARDWARE

Item	Material	Finish
Hinges		
Door Closers		
Floor Closers		
Floor Pivot Sets		
Closer/ Holder		
Floor Stops		
Door Holders		
Lock/ Latches		
Key Cabinet	Steel	
Armor Plates	Metal Plastic	
Kick Mop Plates	Metal Plastic	
Door Edging		
Exit Device		

Flush Bolts		
Door Pulls		
Push Plates		
Combination Push Pull Plate		
Coordinators		
Light Proof Seals		
Weather Strip		
Threshold		

V. SECTION 08 80 00, GLAZING

Finish Code	Location	Material	Pattern	Manufacturer	Mfg. Color Name/No
DG-1	UNITIZED DEMOUNTABLE PARTITION SYSTEM	Decorative Laminated Glazing	Custom Gradient Pattern	McGrory Glass	1/4" (full width) tempered/laminated ARR-162 on inside face
DG-2	WAITING AREAS	Decorative Glazing	Back painted/pale	McGrory Glass	1/4" w/ polished edges ARR-241
DG-5	WAITING/ RECEPTION AREAS ON HALF WALL	Decorative glazing	Poured glass Creekside/Clear Float with acid etch (1) side	3 Form	3/4" gauge with polished edges
DG-3	SLIDING EXAM / TELEMETRY DOORS and PSYCH ANTE	Decorative laminated glass	Custom number pattern with Custom Gradient Pattern	McGrory Glass	1/4" tempered/laminated

	ROOM SIDELIGHT/DOOR				
DG-4	ENTRY SLIDING GLASS SYSTEM	Decorative laminated glass	Custom Gradient Pattern	McGrory Glass	3/16" tempered glazing / laminated ARR-162 / 3/16" tempered glazing
LEG	LEAD LINED SLIDING DOOR GLASS SYSTEM	Lead lined glass	Custom Gradient Pattern	McGrory Glass	Per Physicist Report equivalent thickness glass- to 1/8"
LEG	LEAD LINED BORROWED LITE GLASS SYSTEM	Lead lined glass	Custom Gradient Pattern	McGrory Glass	Per Physicist Report equivalent thickness glass- to 1/8"
EXG- EXT	EXISTING INSULATED GLASS LITE - CURTAINWALL SYSTEM	1" INSULATED TEMPERED GLASS	Match existing	Match existing	Match existing
EXG- EXTS	EXISTING INSULATED GLASS LITE - CURTAINWALL SYSTEM	1/4" SPANDREL GLASS	Match existing	Match existing	Match existing

W. SECTION 08 44 13, GLAZED ALUMINUM CURTAIN WALLS

Component	Material	Finish	Manufacturer	Mfg. Color Name/No.
Frame				
Glazing				
Standard Panel				

DESIGNER NOTE: Use Section 09 24 00, PORTLAND CEMENT PLASTERING only if integral color finish occurs. Delete if painted.

2.9 DIVISION 09 - FINISHES

A. SECTION 09 30 13, CERAMIC TILING

Finish Code/Material	Manufacturer	Mfg Color Name & No.
CWT-1 Ceramic Wall Tile	Laminam by Crossville	Style/Color:I Naturali Travertino Avorio L 2224.10207SAM 1000 mm x 3000 mm x 3 mm
CWT-2 Glazed Wall Tile	Heath	Style: Classic Field Color: Brick G-55 Size: 3" x 6"
CWT-3 Ceramic Wall Tile	Laminam by Crossville	Style/Color: Filo Oro L2093.10207SAM 1000 mm x 3000 mm x 3 mm

11. SECTION 09 30 13, METAL DIVIDER STRIPS		
Size	Material	Manufacturer

B. SECTION 09 51 00, ACOUSTICAL CEILINGS

Finish Code	Component	Color Pattern	Manufacturer	Mfg Name/No.
GR-1	Exposed Suspension System	White	Amstrong World Industries	15/16" ML Prelude Exposed Tee
C-2	Type XII	White	Armstrong world Industries	2' x 2' x ¾" Ultima / #1910 Square lay-in
C-3	Type XII	White	Armstrong World Industries	2' x 2' x ¾" Ultima # 1941 Beveled Tegular
C-4	Type IV	White	Armstrong World Industries	2' x 2' x ¾" Clean Room #1716 15/16" Gasketed Grid

C. SECTION 09 65 19, RESILIENT FLOORING

Finish Code	Size	Material/Component	Manufacturer	Mfg Name/No.
SR-1	49.2' X 48"	R	NORA SYSTEMS	STYLE: NORAPLAN, ENVIROCARE 1463 COLOR: LOTUS FLOWER 2944
SR-2	49.2' X 48"	R	NORA SYSTEMS	STYLE: NORAPLAN,

				ENVIROCARE 1463 COLOR:BEACON SILVER 2781
SR-3	49.2' X 48"	R	NORA SYSTEMS	STYLE: NORAPLAN, ENVIROCARE 1463 COLOR:RUSSIAN CYPRESS 2786
SR-4	49.2' X 48"	R	NORA SYSTEMS	STYLE: NORAPLAN, ENVIROCARE 1463 COLOR: SEA HOLLY 2952
SR-5	49.2' X 48"	R	NORA SYSTEMS	STYLE: NORAPLAN, ENVIROCARE 1463 COLOR: SUNLIT SEDU 2964
COLD WELD FOR RUBBER FLOORING				COLOR TO MATCH FLOORING
LVT-1	4' X 36" X 2MM	V	CENTIVA	STYLE- EVENT PLAN: COLOR: WP 3305-E AMERICAN CHERRY
LVT-2	12" X 24"	V	CENTIVA	STYLE: EVENT STONE TILE COLOR: 7231-E QU MEDITERRANEAN QUARTZITE

D. SECTION 09 65 13, RESILIENT BASE STAIR TREADS AND ACCESSORIES

Finish Code	Item	Height	Manufacturer	Mfg Name/No.
RB-1	Rubber Base (RB)	4"	JOHNSONITE	STYLE:TIGHTLOCK COLOR:TOAST 283

E. SECTION 09 67 23, Seamless Resinous(urethane and epoxy) Flooring

Finish Code	Item	Height	Manufacturer	Mfg Name/No.
SUR	Seamless Urethane Resin flooring	NA	Stonhard	STYLE: Stonrez RTZ COLOR: Riverbed

F. SECTION 09 68 00, CARPET (CPT)

Finish Code	Size	Pattern	Manufacturer	Mfg. Color Name/No.
CPT-1	6' ROLL GOODS WITH POWERBOND BACKING	ARBORETUM	TANDUS	CASTING BRONZE

A.

SECTION 09 77 00 SPECIAL WALL SURFACES (SOLID PHENOLIC WALL PANELING)

Finish Code	Height	Manufacturer	me/No.
SPP-1	3/8" THICK, CLASS A, FIRE RATED	Wilsonart	TO MATCH FINISH OF PL-2 IN ARCHITECTURAL WOODWORK
SPP-3	3/8" THICK, CLASS A, FIRE RATED	TRESPA NORTH AMERICA	Trespa wall lining system Virtuon Color-Amber
SPP-2	3/8"/1/4" THICK. CLASS A FIRE RATED	WILSONART	TO MATCH PL-3 IN ARCHITECTURAL WOODWORK

G. SECTION 09 91 00, PAINT AND COATINGS

1. MPI Gloss and Sheen Standards

		Gloss @60	Sheen @85
Gloss Level 1	a traditional matte finish-flat	max 5 units, and	max 10 units
Gloss Level 2	a high side sheen flat-"a velvet-like" finish	max 10 units, and	10-35 units
Gloss Level 3	a traditional "egg-shell like" finish	10-25 units, and	10-35 units
Gloss Level 4	a "satin-like" finish	20-35 units, and	min. 35 units
Gloss Level 5	a traditional semi-gloss	35-70 units	
Gloss Level 6	a traditional gloss	70-85 units	
Gloss level 7	a high gloss	more than 85 units	

2. Paint code	Gloss	Manufacturer	Mfg. Color Name/No.
PT-1	VARIES	SHERWIN WILLIAMS	DOVER WHITE SW 6385
PT-2	SEMI GLOSS	SHERWIN WILLIAMS	RESORT TAN SW 7550
PT-3	VARIES	SHERWIN WILLIAMS	SEA SALT SW 6204
PT-4	VARIES	SHERWIN WILLIAMS	LEMON VERBENA SW7726
PT-5	VARIES	SHERWIN WILLIAMS	TATAMI TAN SW6116

H. SECTION 09 77 23, FABRIC-WRAPPED PANELS

Finish Code	Manufacturer	Mfg. Color Name/No.
FWP-1	Fabric: Knoll	

2.10 DIVISION 10 - SPECIALTIES

A. SECTION 10 21 23, HOSPITAL CUBILCE CURTAINS

Finish Code	Manufacturer	Mfg. Color Name/No.
CC-1	ARC Com	STYLE: Med-Arc COLOR: Lunar X, Frost #1

B. SECTION 10 21 16, PREFABRICATED SHOWER AND DRESSING COMPARTMENTS

Room No. and Name	Component	Material	Manufacturer	Mfg. Color Name/No.

C. SECTION 08 90 00, LOUVERS AND WALL VENTS

Item	Material	Finish	Manufacturer	Mfg. Color Name/No.

D. SECTION 10 26 00, WALL GUARDS AND CORNER GUARDS

Item	STYLE	Manufacturer	Mfg. Color Name/No.
------	-------	--------------	---------------------

CG-1 Corner Guards	Stainless Steel C08 (custom)	CONSTRUCTION SPECIALTIES	Size: 2" x 2" FINISH: custom
PWP-1 SHEET WALL PROTECTION		CONSTRUCTION SPECIALTIES	COLOR: ALMOND 920 FINISH: SUEDE
BR-1 BUMPER RAIL		CONSTRUCTION SPECIALTIES	COLOR: ALMOND 920 FINISH: SUEDE
HR-1	Wood/stainless steel HRBW-10CN	CONSTRUCTION SPECIALTIES	Stainless steel/ wood

E. SECTION 10 13 00 / 10 14 00, EXTERIOR SIGNS

Component	Finish	Manufacturer	Mfg. Color Name/No.

F. SECTION 10 13 00 / 10 14 00, INTERIOR SIGNS

Sign Type	Component	Manufacturer	Mfg. Color Name/No.
Type X	Custom Chroma Lightbox	3 Form	Custom Style: Cranberry + ghost Chroma with diffuser layer Finish: Front-renewable matte Back- matte Gauge:1/2"

G. SECTION 10 22 19 UNITIZED DEMOUNTABLE PARTITION SYSTEM

Make	Model	Manufacturer/ Contact	Mfg. Color Name/No./ Warrantee
Infinum Architectural Wall Systems	Refine System	Steve Kitko 440-572-5000	Clear Anodized Aluminum/ 5 Years

H. SECTION 10 25 13, PATIENT BED SERVICE WALLS

Location	Manufacturer/ Contact	Mfg. Name/ Color Name
Triage/ Fast Track Rooms	AMICO- John Glass 800-770-2261	Regal Series, Extended Length General Care - w/ Stud Single Side
Typical Exam Room/ Telemetry Room	AMICO- John Glass 800-770-2261	Freedom Series, Extended Length General Care - w/ Stud Single Side
Resuscitation Room/ X-ray Room	AMICO- John Glass 800-770-2261	Freedom Series , Extended Length General Care - w/ Stud Single Side

I. SECTION 10 28 00, TOILET AND BATH ACCESSORIES

T.A. #	DESCRIPTION	MANUFACTURER	MODEL
TA-1A	Glass Mirror	Bobrick	B-165 1830
TA-1D	Stainless Steel Mirror	Bobrick	B-1556 2436
TA-2B	Soap Dispenser - Recessed	Bobrick	B-4063
TA-2C	Soap Dispenser	Bobrick	B-2111
TA-2D	Alcohol Gel Dispenser	Bobrick	B-2111
TA-3A	Paper Towel Dispenser	Bobrick	B-262
TA-3B	Paper Towel Dispenser - Psych Safe	Bobrick	
TA-5A-1	Toilet Tissue Dispenser - Single Roll	Bobrick	B-273
TA-5A-2	Toilet Tissue Dispenser - Single Roll	Bobrick	B-273
TA-6A-1	Grab Bar 12"	Bobrick	B-6806 x 12
TA-6A-3	Grab Bar 24"	Bobrick	B-6806 x 24
TA-6A-4	Grab Bar 30"	Bobrick	B-6806 x 30
TA-6A-5	Grab Bar 36"	Bobrick	B-6806 x 36
TA-6A-6	Grab Bar 42"	Bobrick	B-6806 x 42
TA-6A-7	Grab Bar 48"	Bobrick	B-6806 x 48
TA-6B-1	Grab Bar 18" - Vertical	Bobrick	B-6806 x 18
TA-6B-2	Grab Bar 24" - Vertical	Bobrick	B-6806 x 24
TA-6E-3	Security Grab Bar 36"	Bradley	SA70-001360
TA-7B	Folding Shower Seat with Slat - Compact Design	Bobrick	B-5191
TA-9	Single Roll	Bobrick	B-273
TA-9B-1	Robe Hook Double	Bobrick	B-7672
TA-9B-2	Robe Hook Double	Bobrick	B-7672
TA-14B	Baby Changing Station - Horizontal	Bobrick	KB-100-00
TA-15A	Double Robe Hook	Bobrick	B-7672
TA-26	Accessory Shelf	Jako	KU-05

2.11 DIVISION II - EQUIPMENT

NOT APPLICABLE

2.12 DIVISION 12- FURNISHINGS

A. SECTION 12 36 00, COUNTERTOPS AND ACCESSORIES

1. REFER TO THIS SECTION IN 06 41 16 PLASTIC-LAMINATE-FACED ARCHITECTURAL CABINETS FOR ADDITIONAL INFORMATION.

B. SECTION 12 24 00, WINDOW SHADES

Item	Material	Manufacturer	Mfg. Color Name/No.
WINDOW SHADE	VINYL/ ALUMINUM HOUSING	Mecho Shade Shade cloth: Thermoveil Housing: Mechoshade	STYLE: Series:1300 Dense Basket Weave - 1313 with 5% openness factor. Housing - slimline with fascia

C. SECTION 13 05 41, SEISMIC RESTRAINT REQUIREMENTS FOR NON STRUCTURAL COMPONENTS

Item	Location	Finish	Color

2.15 DIVISION 22 - PLUMBING

A. SECTION 22 40 00, PLUMBING FIXTURES AND TRIM

Item	Color
Water Closet	White
Urinal	N/A
Bathtubs	N/A
Lavatories	White
Service Sink Corner	CRS
Service Sink	PCT
Clinic Service Sink	CRS
Plaster Sink	N/A
Laundry Tub	N/A

2.16 DIVISON 26 - ELECTRICAL

A. SECTION 26 51 00, BUILDING LIGHTING INTERIOR

REFER TO DRAWING SHEET E-001 FOR ALL INTERIOR LIGHTING FIXTURE INFORMATION.

PART III EXECUTION

3.1 FINISH SCHEDULES & MISCELLANEOUS ABBREVIATIONS

DESIGNER NOTE: Edit to suit project. Check abbreviations with technical section to avoid conflict or duplicate abbreviations for different materials.

FINISH SCHEDULE & MISCELLANEOUS ABBREVIATIONS	
Term	Abbreviation

Access Flooring	AF
Accordion Folding Partition	AFP
Acoustical Ceiling	AT
Acoustical Ceiling, Special Faced	AT (SP)

Acoustical Metal Pan Ceiling	AMP
Acoustical Wall Panel	AWP
Acoustical Wall Treatment	AWT
Acoustical Wallcovering	AWF
Anodized Aluminum Colored	AAC
Anodized Aluminum Natural Finish	AA
Baked On Enamel	BE
Brick Face	BR
Brick Flooring	BF
Brick Paving	BP
Carpet	CP
Carpet Athletic Flooring	CAF
Carpet Module Tile	CPT
Ceramic Glazed Facing Brick	CGFB
Ceramic Mosaic Tile	FTCT
Concrete	C
Concrete Masonry Unit	CMU
Divider Strips Marble	DS MB
Epoxy Coating	EC
Epoxy Resin Flooring	ERF
Existing	E
Exposed Divider Strips	EXP
Exterior	EXT
Exterior Finish System	EFS
Exterior Paint	EXT-P
Exterior Stain	EXT-ST
Fabric Wallcovering	WF
Facing Tile	SCT
Feature Strips	FS
Floor Mats & Frames	FM
Floor Tile, Mosaic	FT
Fluorocarbon	FC
Folding Panel Partition	FP
Foot Grille	FG

Glass Masonry Unit	GUMU
Glazed Face CMU	GCMU
Glazed Structural Facing Tile	SFTU
Granite	GT
Gypsum Wallboard	GWB
High Glazed Coating	SC
Latex Mastic Flooring	LM
Linear Metal Ceiling	LMC
Linear Wood Ceiling	LWC
Marble	MB
Material	MAT
Mortar	M
Multi-Color Coating	MC
Natural Finish	NF
Paint	P
Paver Tile	PVT
Perforated Metal Facing (Tile or Panels)	PMF
Plaster	PL
Plaster High Strength	HSPL
Plaster Keene Cement	KC
Plastic Laminate	HPDL
Polypropylene Fabric Wallcovering	PFW
Porcelain Paver Tile	PPT
Quarry Tile	QT
Radiant Ceiling Panel System	RCP
Resilient Stair Tread	RST
Rubber Base	RB
Rubber Tile Flooring	RT
Spandrel Glass	SLG
Stain	ST
Stone Flooring	SF
Structural Clay	SC
Suspension Decorative Grids	SDG
Grids	

Terrazzo Portland Cement	PCT
Terrazzo Tile	TT
Terrazzo, Thin Set	
Textured Gypsum Ceiling Panel	TGC
Textured Metal Ceiling Panel	TMC
Thin set Terrazzo	TST
Veneer Plaster	VP
Vinyl Base	VB
Vinyl Coated Fabric	W

Wallcovering	
Vinyl Composition Tile	VCT
Vinyl Sheet Flooring	VSF
Vinyl Sheet Flooring (Welded Seams)	WSF
Wall Border	WB
Wood	WD

3.2 FINISH SCHEDULE SYMBOLS

DESIGNER NOTE: Do not substitute these symbols. Add new symbols as required.

Symbol Definition

** Same finish as adjoining walls
 - No color required
 E Existing
 XX To match existing
 EFTR Existing finish to remain
 RM Remove

3.3 ROOM FINISH SCHEDULE

DESIGNER NOTE: Copy as stated for projects requiring alterations.

- A. Match adjoining or existing similar surfaces colors, textures or patterns where disturbed or damaged by alterations or new work when not scheduled.

DESIGNER NOTE: Use the schedule below to edit for rooms on project include existing rooms demolished and delete new section not part of new work. Use new section to show revision to existing work. Delete exist Sections for new construction.

B. ROOM FINISH SCHEDULE

Room No. and Name		FLOOR			BASE		WALL		WAINSCOT		CEILING		REMARKS
		MAT	FC		MAT	FCC	MAT	FCC	MAT	FC	MAT	FCC	
	E X I S T												
				N									
				E									
				S									
				W									
				C									
	N E W			N									
				E									
				S									
				W									
				C									
	E X I S T			N									
				E									
				S									
				W									
				C									
	N E W			N									
				E									
				S									
				W									
				C									

	E X I S T			N								
				E								
				S								
				W								
				C								
	N E W			N								
				E								
				S								
				W								
				C								

--- E N D---